EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|--|---------|---------------------|---------|------------------|
| L1 | 3 | ("6400766" or "6327392" or "6263106").pn. | USPAT | OR | OFF | 2007/03/29 09:20 |
| L2 | 3 | 1 and reduc\$6 | USPAT | OR | OFF | 2007/03/29 09:25 |
| L3 | 3 | 2 and select\$4 | USPAT - | OR | OFF | 2007/03/29 09:17 |
| L4 | 0 | 3 and JPEG2000 | USPAT | OR | OFF | 2007/03/29 09:17 |
| L5 | 3 | 3 and JPEG | USPAT | OR | OFF | 2007/03/29 09:17 |
| L6 | 2 | 5 and "2000" | USPAT | OR | OFF | 2007/03/29 09:17 |
| L7 | 2 | 6 and remain\$4 | USPAT | OR | OFF | 2007/03/29 09:18 |
| L8 | 11 | ("6370667" or "6104327" or "6084577" or "5981884" or "6229102" or "5902968" or "5557797" or "6226011" or "6137595" or "6518960" or "6421042").pn. | USPAT | OR | OFF | 2007/03/29 09:21 |
| L9 | 7 | 8 and reduc\$6 | USPAT | OR | OFF | 2007/03/29 09:25 |
| L10 | 0 | 9 and (select\$4 with remain\$4) | USPAT | OR | OFF | 2007/03/29 09:26 |
| L11 | 99534 | record\$6 with medium | USPAT | OR | OFF | 2007/03/29 09:26 |
| L12 | 1699 | 11 and (information with reduc\$4 with amount) | USPAT | OR | OFF | 2007/03/29 09:26 |
| L13 | 466 | 12 and (select\$4 with image) | USPAT | OR | OFF | 2007/03/29 09:27 |
| L14 | 50 | 12 and (select\$4 with priority) | USPAT | OR | OFF | 2007/03/29 09:27 |
| Ľ15 | 7 | 14 and JPEG | USPAT | OR | OFF | 2007/03/29 09:27 |
| L16 | 4 | 15 and "2000" | USPAT | OR | OFF | 2007/03/29 09:27 |

| | σ | 1 | | Document | ID | Issue Date | Pages |
|---|---|---|----|----------|------|------------|-------|
| 1 | | | US | 7191236 | B2 | 20070313 | 43 |
| 2 | | | US | 6850252 | B1 | 20050201 | 160 |
| 3 | | | US | 6665442 | B2 | 20031216 | 43 |
| 4 | | | US | 6654135 | B2 . | 20031125 | 54 |

| | Title | Current OR | Current XRef |
|---|--|------------|---|
| 1 | Transparent telecommunications system and apparatus | 709/228 | 370/238; 370/466; 709/220; 709/230 |
| 2 | Intelligent electronic appliance system and method | 715/716 | 348/E7.061; 380/252; 715/719; 715/727 |
| 3 | Image retrieval system and image retrieval method | 382/224 | 382/190; 382/195; 382/305; 707/104.1; 707/3 |
| 4 | Printing control system, a print controller, an image server, an information processing apparatus and a method therefor, and a storage medium storing a program readable by a computer | 358/1.15 | 358/1.1 |

| | Retrieval Classif | Inventor | S | С | P. | 2 | 3 | 4 | 5 |
|-------|----------------------|-------------------------------|---|---|----|---|---|---|---|
| 1 | | Simpson-Young; William et al. | х | | | | | | |
| 2 | | Hoffberg; Steven M. | x | | | | | ÷ | |
| 3 | | Sekiguchi; Shunichi et al. | x | | | | | | |
| 4 | | Mitani; Shigeyuki | х | | | | | | |

| | | Image Doc. Displayed | PT |
|---|----|----------------------|----|
| 1 | us | 7191236 | |
| 2 | US | 6850252 | |
| 3 | US | 6665442 | |
| 4 | US | 6654135 | |



PALM INTRANET

Day: Thursday Date: 3/29/2007 Time: 09:03:48

Inventor Name Search Result

Your Search was:

Last Name = SAKUYAMA First Name = HIROYUKI

| | <u> </u> | G | | | |
|-----------------|---------------|-----|------------|---|--------------------|
| Application# | | | | | Inventor Name |
| 07507145 | Not Issued | 161 | 04/10/1990 | OPTICAL PICKUP DEVICE | SAKUYAMA, HIROYUKI |
| 09050908 | 6226011 | 150 | 03/31/1998 | COLOR CONVERSION METHOD FOR A COLOR MATCHING, A METHOD FOR EXPANDING A FUNCTION OF A PROGRAM MODULE AND A COLOR CONVERSION METHOD USING THE METHOD FOR EXPANDING A FUNCTION OF A PROGRAM MODULE | SAKUYAMA, HIROYUKI |
| <u>09060850</u> | 6137595 | 150 | 04/16/1998 | COLOR CONVERSION PROCESSING METHOD FOR COLOR MATCHING AND A PROCESSOR READABLE MEDIUM STORING A PROGRAM FOR IMPLEMENTING THE COLOR CONVERSION PROCESSING METHOD | SAKUYAMA, HIROYUKI |
| 09912364 | 7031541 | 150 | 07/26/2001 | SYSTEM, METHOD AND PROGRAM FOR IMPROVED COLOR IMAGE SIGNAL QUANTIZATION | SAKUYAMA, HIROYUKI |
| 10082308 | 7013049 | 150 | 02/26/2002 | IMAGE PROCESSING SCHEME | SAKUYAMA, HIROYUKI |
| 10156093 | 7158679 | 150 | 05/29/2002 | IMAGE COMPRESSION WITH TILE ALIGNMENT | SAKUYAMA, HIROYUKI |
| 10164545 | 7127117 | 150 | | IMAGE COMPRESSION METHOD AND APPARATUS FOR SUPPRESSING QUANTIZATION RATE IN PARTICULAR REGION, IMAGE EXPANSION METHOD AND APPARATUS THEREFOR, AND COMPUTER-READABLE STORAGE MEDIUM STORING PROGRAM FOR THE COMPRESSION OR EXPANSION | SAKUYAMA, HIROYUKI |
| 10390193 | Not Issued | 93 | | IMAGE DATA GENERATION WITH REDUCED AMOUNT OF PROCESSING | SAKUYAMA, HIROYUKI |
| 10600333 | Not | 41 | 06/23/2003 | Image decoding technique for suppressing | SAKUYAMA, HIROYUKI |

| | Issued | - | | tile boundary distortion | |
|-----------------|---------------|----|------------|---|--------------------|
| 10623558 | Not Issued | 30 | 07/22/2003 | Image recording apparatus and image data selection method | SAKUYAMA, HIROYUKI |
| 10637420 | Not Issued | 30 | 08/08/2003 | ROI setting method and apparatus, electronic camera apparatus, program, and recording medium | SAKUYAMA, HIROYUKI |
| <u>10646086</u> | Not Issued | 30 | 08/22/2003 | Image-processing apparatus, an image- processing method, a program, and a memory medium | SAKUYAMA, HIROYUKI |
| 10646754 | Not Issued | 71 | 08/25/2003 | Image processing apparatus for compositing images | SAKUYAMA, HIROYUKI |
| 10647337 | Not Issued | 41 | 08/26/2003 | Code conversion apparatus, code conversion method and storage medium | SAKUYAMA, HIROYUKI |
| 10657219 | Not Issued | 30 | 09/05/2003 | Image processing apparatus, image processing method, and storage medium | SAKUYAMA, HIROYUKI |
| <u>10659349</u> | Not Issued | 30 | 09/11/2003 | Image processing apparatus, image reading apparatus, image forming apparatus and recording medium for image processing program | SAKUYAMA, HIROYUKI |
| <u>10676535</u> | Not Issued | 41 | 09/30/2003 | Imaging device, image processing method, and recording medium | SAKUYAMA, HIROYUKI |
| 10678696 | Not Issued | 71 | 10/02/2003 | Apparatus and method for processing image data based on object movement speed within a frame | SAKUYAMA, HIROYUKI |
| 10682121 | Not Issued | 30 | 10/10/2003 | Image data input/output apparatus in which an item of stored image data can be selected using a check sheet indicating thumbnails thereof | SAKUYAMA, HIROYUKI |
| 10691623 | Not Issued | 61 | 10/24/2003 | Modifying wavelet division level before transmitting data stream | SAKUYAMA, HIROYUKI |
| 10703509 | Not Issued | 30 | 11/10/2003 | Digital watermarking which allows tampering to be detected on a block-specific basis | SAKUYAMA, HIROYUKI |
| <u>10706598</u> | Not Issued | 30 | 11/11/2003 | Image processing apparatus, image processing method, program, and recording medium that allow setting of most appropriate post-quantization condition | SAKUYAMA, HIROYUKI |
| 10716429 | Not Issued | 30 | 11/20/2003 | Durable and undecipherable digital watermarking technique and detection of unauthorized use | SAKUYAMA, HIROYUKI |
| 10716463 | Not Issued | 30 | | Image processing apparatus, image processing program, and storage medium | SAKUYAMA, HIROYUKI |
| 10716969 | Not Issued | 30 | 11/18/2003 | Image browsing device acquiring coded data for saving a displayed image from image data source | SAKUYAMA, HIROYUKI |
| <u>10717090</u> | Not | 30 | 11/20/2003 | Image processing apparatus, image | SAKUYAMA, HIROYUKI |

| | Issued | | | compressing apparatus, image decompressing apparatus, image processing method, image compressing method, image decompressing method, information processing apparatus, information processing method, program and recording medium | |
|-----------------|---------------|----|------------|--|--------------------|
| 10717674 | Not Issued | 30 | 11/21/2003 | Coding and decoding of image data with additional information | SAKUYAMA, HIROYUKI |
| 10753011 | Not Issued | 30 | 01/06/2004 | Image processing apparatus and method | SAKUYAMA, HIROYUKI |
| 10753654 | Not Issued | 30 | 01/07/2004 | Image processing apparatus that decomposites composite images | SAKUYAMA, HIROYUKI |
| 10754684 | Not Issued | 30 | 01/09/2004 | Image processing apparatus, image processing program, and storage medium | SAKUYAMA, HIROYUKI |
| 10758638 | Not Issued | 30 | 01/14/2004 | Image processing apparatus and image processing method, image processing system, image processing program and storage medium | SAKUYAMA, HIROYUKI |
| 10761910 | Not Issued | 30 | 01/20/2004 | Image processing method, image processing apparatus, electronic camera and computer-readable storage medium | SAKUYAMA, HIROYUKI |
| 10762981 | Not Issued | 61 | 01/21/2004 | Image processing apparatus that adjusts image size to make image divisible into tiles | SAKUYAMA, HIROYUKI |
| 10763708 | Not Issued | 71 | 01/22/2004 | Method for reversibly transforming data format, image processing apparatus, program for reversibly transforming data format, and computer-readable recording medium thereof | SAKUYAMA, HIROYUKI |
| 10763845 | Not Issued | 30 | 01/22/2004 | Scrambling of image by randomizing pixel values | SAKUYAMA, HIROYUKI |
| 10763882 | Not Issued | 30 | 01/23/2004 | Image processing apparatus that decomposes an image into components of different properties | SAKUYAMA, HIROYUKI |
| 10767017 | Not Issued | 30 | 01/28/2004 | Image processing apparatus and computer- readable storage medium | SAKUYAMA, HIROYUKI |
| 10769077 | Not Issued | 30 | 01/29/2004 | Image processing apparatus and computer- readable storage medium | SAKUYAMA, HIROYUKI |
| 10783743 | Not Issued | 30 | 02/20/2004 | System for reproducing moving image from JPEG 2000 encoded data stream | SAKUYAMA, HIROYUKI |
| 10816068 | Not Issued | 30 | 03/31/2004 | Image compression method capable of reducing tile boundary distortion | SAKUYAMA, HIROYUKI |
| <u>10837446</u> | Not Issued | 30 | 04/30/2004 | Encoded data generation apparatus and a method, a program, and an information recording medium | SAKUYAMA, HIROYUKI |
| 10877225 | Not Issued | 30 | 06/24/2004 | Image coding apparatus, program, storage medium and image coding method | SAKUYAMA, HIROYUKI |

| 10934880 | Not Issued | 41 | | Coding apparatus, coding method, program and information recording medium that can suppress unnatural degradation of image quality | SAKUYAMA, HIROYUKI |
|-----------------|---------------|----|------------|--|--------------------|
| 11060393 | Not Issued | 30 | | Manual providing apparatus, multi function printer, server, electronic manual presentation method, and computer program | SAKUYAMA, HIROYUKI |
| 11331369 | Not Issued | 30 | | Code processing device, code processing method, program, and recording medium | SAKUYAMA, HIROYUKI |
| 11414763 | Not Issued | 30 | | Structured document code transferring method, image processing system, server apparatus and computer readable information recording medium | SAKUYAMA, HIROYUKI |
| <u>11441565</u> | Not Issued | 25 | 05/25/2006 | Encoding method and encoding apparatus | SAKUYAMA, HIROYUKI |

Inventor Search Completed: No Records to Display.

| | Last Name | First Name | |
|--------------------|---|---------------|--|
| Search Another: In | iventor _{************************************} | · | |
| | Isakuvama | hirovuki | Search |
| | | ; [| 20000000000000000000000000000000000000 |

To go back use Back button on your browser toolbar.

Back to \underline{PALM} | $\underline{ASSIGNMENT}$ | \underline{OASIS} | Home page